




INFORMS Journal on Computing

Publication details, including instructions for authors and subscription information:
<http://pubsonline.informs.org>

Key Word Index

To cite this article:

(2003) Key Word Index. INFORMS Journal on Computing 15(4):428-429. <https://doi.org/10.1287/ijoc.15.4.428.24894>

Full terms and conditions of use: <https://pubsonline.informs.org/Publications/Librarians-Portal/PubsOnLine-Terms-and-Conditions>

This article may be used only for the purposes of research, teaching, and/or private study. Commercial use or systematic downloading (by robots or other automatic processes) is prohibited without explicit Publisher approval, unless otherwise noted. For more information, contact permissions@informs.org.

The Publisher does not warrant or guarantee the article's accuracy, completeness, merchantability, fitness for a particular purpose, or non-infringement. Descriptions of, or references to, products or publications, or inclusion of an advertisement in this article, neither constitutes nor implies a guarantee, endorsement, or support of claims made of that product, publication, or service.

© 2003 INFORMS

Please scroll down for article—it is on subsequent pages



With 12,500 members from nearly 90 countries, INFORMS is the largest international association of operations research (O.R.) and analytics professionals and students. INFORMS provides unique networking and learning opportunities for individual professionals, and organizations of all types and sizes, to better understand and use O.R. and analytics tools and methods to transform strategic visions and achieve better outcomes. For more information on INFORMS, its publications, membership, or meetings visit <http://www.informs.org>

Key Word Index

- Algorithm, genetic, 3–22, 320–330
- Algorithm, memetic, 320–330
- Algorithms, 310–319
 - analysis of, 93–113, 267–283, 397–411
 - heuristic, 333–346
 - suboptimal, 267–283
- Analysis and design, 148–170
- Analysis of algorithms, 93–113, 267–283, 397–411
- Analysis, statistical, 23–41
- Artificial intelligence, 23–41, 191–207
- Assignment problems, 249–266
- Assignment, quadratic, 320–330
- Auctions, 284–309

- Branch and bound, 310–319
- Branch and price, 58–81

- Capacitated vehicle-routing problem, 333–346
- Cluster analysis, 208–230
- Column generation, 42–57
- Combinatorial optimization, 233–248, 284–309
- Computer science, 191–207
- Computers-computer science, 191–207
- Constraints, side, 42–57
- Customers, retail, 208–230
- Cut, Gomory mixed-integer, 385–396
- Cut, K -, 385–396
- Cutting, 267–283, 310–319
- Cutting-stock/trim, 58–81

- Dantzig-Wolfe, 58–81
- Data bases, 191–207
- Data mining, 123–147
- Data preparation, 171–190
- Decision support systems, 148–170
- Decision tree, 3–22
- Decomposition, 58–81
- Dimensional, high, 208–230
- Discovery, pattern, 123–147
- Distance-constrained vehicle routing problem, 333–346

- Eigenvalues, 412–421
- Flow algorithms, Networks-Graphs, 42–57
- Genetic algorithm, 3–22, 320–330
- Gomory mixed-integer cut, 385–396
- Graph partitioning, 208–230
- Graphs, networks-, 369–384

- Heuristic algorithms, 333–346
- Heuristics, 82–92, 320–330
- High dimensional, 208–230

- Information systems, 148–170
- Integer programming, 58–81, 249–266, 385–396
 - algorithms, 93–113, 42–57
 - applications, 93–113
- Intelligence, artificial, 23–41, 191–207

- K -cut, 385–396

- Languages, simulation, 397–411
- Large-scale systems programming, 369–384
- Linear-programming tableau, 385–396

- Memetic algorithm, 320–330
- Metaheuristics, 347–368
- Mining,
 - data, 123–147
 - text, 208–230
 - web-usage, 123–147, 171–190
- Mixed-integer nonlinear programming, 114–119
- Modeling systems, 114–119
- Multicommodity networks-graphs, 42–57, 369–384

- Networks-Graphs, 82–92
 - applications, 397–411
 - flow algorithms, 42–57
 - matchings, 93–113
 - multicommodity, 42–57, 369–384
- Nondifferentiable programming, 369–384
- Nonlinear programming, mixed-integer, 114–119

- Optimization, combinatorial, 233–248, 284–309

- Packing, 267–283, 310–319
- Pattern discovery, 123–147
- Personalization, 123–147
- Preparation, data, 171–190
- Production/scheduling, 58–81
- Programming
 - integer, 42–57, 58–81, 249–266, 385–396
 - large-scale systems, 369–384
 - nondifferentiable, 369–384

- Quadratic assignment, 320–330
- Queueing, 412–421

- Reconstruction of web server sessions, 171–190
- Relaxations, 310–319
- Retail customers, 208–230

KEY WORD INDEX

- Search, tabu, 320–330, 333–346
- Sequences, Sturm, 412–421
- Servers, unreliable, 412–421
- Side constraints, 42–57
- Simulation, languages, 397–411
- Simulation, 23–41
- Statistical analysis, 23–41
- Sturm sequences, 412–421
- Suboptimal algorithms, 267–283
- Systems, modeling, 114–119
- Tableau, linear-programming (LP), 385–396
- Tabu search, 320–330, 333–346
- Testing, 114–119
- Text mining, 208–230
- Time windows, 347–368
- Traveling salesman problem, 82–92, 233–248
- Tree, decision, 3–22
- Unreliable servers, 412–421
- Vehicle routing problem, 333–346, 347–368
- Visualization, 208–230
- Web server sessions, reconstruction of, 171–190
- Web-log analysis, 208–230
- Web-usage mining, 123–147, 171–190