



Service Science

Publication details, including instructions for authors and subscription information:
<http://pubsonline.informs.org>

Service Systems and Requisite Variety

Phil Godsiff,

To cite this article:

Phil Godsiff, (2010) Service Systems and Requisite Variety. Service Science 2(1-2):92-101. <https://doi.org/10.1287/serv.2.1.2.92>

Full terms and conditions of use: <https://pubsonline.informs.org/Publications/Librarians-Portal/PubsOnLine-Terms-and-Conditions>

This article may be used only for the purposes of research, teaching, and/or private study. Commercial use or systematic downloading (by robots or other automatic processes) is prohibited without explicit Publisher approval, unless otherwise noted. For more information, contact permissions@informs.org.

The Publisher does not warrant or guarantee the article's accuracy, completeness, merchantability, fitness for a particular purpose, or non-infringement. Descriptions of, or references to, products or publications, or inclusion of an advertisement in this article, neither constitutes nor implies a guarantee, endorsement, or support of claims made of that product, publication, or service.

Copyright © 2010, INFORMS

Please scroll down for article—it is on subsequent pages



With 12,500 members from nearly 90 countries, INFORMS is the largest international association of operations research (O.R.) and analytics professionals and students. INFORMS provides unique networking and learning opportunities for individual professionals, and organizations of all types and sizes, to better understand and use O.R. and analytics tools and methods to transform strategic visions and achieve better outcomes. For more information on INFORMS, its publications, membership, or meetings visit <http://www.informs.org>

Service Systems and Requisite Variety

Phil Godsiff

Institute for Service Research
Exeter University Business School, UK
pg229@exeter.ac.uk

Purpose: This conceptual paper will explore the application of an aspect of systems theory, the Law of Requisite Variety (LRV) to service organisations.

Design / methodology / approach: The notion of a system has a strong history in management; in searching for theory to provide substance to service systems research the concept can provide valuable insights. Systems theory and thinking is the study of complex adaptive wholes; the focus is on the whole rather than the parts. The LRV, introduced by Ashby, concerns the behaviour of systems. The LRV states that the organisation must be able to deal with the variety introduced by the external environment, in order to remain viable. Understanding the nature of customer variety and how to deal with it is important for service organisations since variety provides both a challenge and an opportunity. This paper seeks to explore and operationalise variety in a service context.

Findings: A new service systems model is proposed building on the LRV, systems concepts and on current developments in service classification.

Originality / value: To further the use of systems thinking in service science and to explore how the LRV could be applied in this context.

Key words: variety; law of requisite variety; viable systems; systems thinking; service

History: Received Oct. 1, 2009; Received in revised form Dec. 30, 2009; Accepted Feb. 15, 2010; Online first publication Apr. 10, 2010

1. Introduction

There is a growing acceptance that a different, more holistic and interconnected approach to value creation and management is becoming necessary for a wide variety of reasons, not least the rapid growth in enabling technologies and increasing complexity and choice and changes in business relationships that this will entail. Systems thinking is one approach that could contribute to understanding and providing frameworks for these challenges. This paper sets out to describe the potential application of Ashby's Law of Requisite Variety (LRV) and its implications. Generally stated and understood as 'only variety can destroy variety' (Ashby 1969), it uses systems concepts to look at the impact of external disturbances on the viability of an organisation.

I start with a brief discussion of the debate on the nature of service and suggest that there is an emerging consensus that definitions should be centred around firstly, process rather than product, and secondly, the customer – producer interaction and relationships. A short overview of some of the concepts of systems thinking (the study of complex and adaptive wholes) is given and the way that it has been applied to the study of management and operations based on the work of Forrester and Beer. From this follows an examination of variety and the Law of Requisite Variety.

An argument is made that variety is not, as is traditionally assumed within operations management literature, *simply* the inverse of volume, and hence already understood, and also that the traditional manufacturing approach of keeping the customer removed from the operation is neither possible nor appropriate for service organisations. Finally as a contribution to service science, I propose a new model of a service system, using the Law of Requisite Variety, along with recent developments from Unified Services Theory, (Sampson and Froehle 2006) and Service Dominant Logic (Vargo and Lusch 2004). This descriptive model is based on the LRV and the interaction of the customer and the producer in a service context. I conclude with comments on the potential direction research in this area might take.

2. Services

“Services” is a complex subject with growing diversity in the definition of the subject under study. Recently, this has been further compounded by the development of a ‘science’ for services. Any review of extant literature will identify a wide range of frameworks, classification schemes and conceptual models and perspectives.

Initial exploratory research into these frameworks suggests that the major paradigm in the services literature is one of customer-centricity with an emphasis on customer presence, predominantly concerned with customer-contact environments, customer-facing operations, or customer-processing activities. To provide a context for our argument, I set out briefly three distinct perspectives of services.

Firstly services can be thought of as an entire industry. This can be described as the SIC classification where services are everything that is not extraction, farming, and manufacturing. Such classification schema do not inform the management of different service operations or service processes (Silvestro *et al.* 1992) since they overlook the necessity that service operations characteristics often vary considerably within industries and organisations. In addition this “everything else” definition is hardly useful in that it leaves us little to say about the nature of service other than it accounts for the majority of economic activity.

Secondly a service can be considered an outcome. It has been argued that service outcomes share four specific attributes, often referred to as IHIP, making them different from manufactured goods: intangibility, heterogeneity (variability), inseparability of production and consumption, and perishability; (Zeithaml *et al.* 1985). These attributes and their combination are often regarded as the core paradigm in services marketing (Lovelock and Gummesson 2004). Other attempts to differentiate between services and goods include the ownership distinction. Judd (1964) proposes that services do not transfer ownership of a tangible item. Lovelock and Gummesson significantly extended this basic criterion to include such things as place and space rental, physical facility and network access.

Thirdly, a service can be described as a process. Shostack (1982) suggests that services are processes, “a series of interactions between participants, processes, and physical elements”; service processes generally involve customer contact, (Chase 1981); and / or customer participation (Shostack 1982) in the process of production. In the Unified Service Theory, Sampson and Froehle (2006) define a service process as one where the customer provides significant inputs to the production process which can be the customer herself, her tangible belongings, or her provided information.

Vargo and Lusch (2004) have changed the nature of the debate with the introduction of Service Dominant Logic (SDL). Using the twin concepts of operand (material) and operant (skills and knowledge) resources to distinguish between what they term a goods-dominant logic (G-D logic) and a service-dominant logic (S-D logic), they suggest that operand resources underpin G-D logic and operant resources S-D logic. They define service as ‘the application of competences by one entity for the benefit of another’ (Vargo and Lusch 2008). Thus all organisations are engaged in service, goods are simply an appliance for the delivery of a service, and everything in exchange is a service. An organisation can only make “value propositions” to which the customer must respond. Value is always co-created.

Definitions of “service” now seem to range from the “SIC” classification to “SDL” and hence fall between being either “everything” or everything else”. (Godsiff *et al.* 2009) but in systems thinking terms the most useful type of definitions would be ones which concentrate on the role of the customer, processes and relationships.

3. Systems

A long tradition of systems thinking conceptualizes systems as having a number of attributes. Katz and Kahn (1969) established two basic criteria for the examination of an open social system: “the pattern of energy exchange or activity as it results in some output ...and... how the output is translated into energy which reactivates the pattern” (p90) i.e. how is energy imported from an external environment and transformed into output, and how is this output in turn fed back to the system as energy. They named the following characteristics of open systems: importation of energy, throughput, output, systems as cycles of events, negative entropy, information input, negative feedback, coding processes, steady state, dynamic homeostasis, differentiation and equifinality.

Churchman (1971) identified the following nine conditions for a thing to be considered a system: goal seeking or purposeful behaviour, a measure of performance, a client (customer), teleology, an environment which co-produces the performance, a decision maker, a designer, the designer’s intention (to manage the system to the benefit of the client), and stability.

Jackson (2003) says that using the metaphors of machine, organism and brain has given rise to a “vast range of systems terms: black box, feedback, control, communication, variety, hierarchy, recursion, viability, autonomy, environment, autopoiesis, self-regulation, self organisation, learning.”

Systems Thinking is concerned with relationships and wholes rather than with the detailed analysis of parts. One application of systems thinking and its associated concepts to management operations is systems dynamics. This uses flows, causal links, feedback loops, (positive and negative), accumulation of stocks, and delays to describe, model and simulate operational and social systems. For example, the Forrester (bullwhip) effect describes how small changes in one part of the end to end supply chain, time delays and poor information can cause major and unpredicted changes elsewhere in the chain. Forrester’s wider observation (1958 p6) that: “the relationships between the elements [of a system] are just as, if not more, important than the elements themselves. The interconnections, the compatibility, the effect of one upon the other must receive more attention than the parts”, shows the rooting of system dynamics in systems thinking.


The need for a systems approach is increasingly and everywhere apparent, and its use implicit or explicit can be seen everywhere in the literature. A single example will suffice. Gummesson points out that within Service Dominant Logic value is co-created. “The supplier contribution is a value proposition...the customer contribution is value actualization” (Gummesson 2008). As an example in the purchase and use of a car, “the customer interacts with the car and service is created in that process”. This is a perfect example of an emergent quality, (another systems concept), firstly in that it is of a different nature to the inputs and processes, and is uniquely personal and unpredictable: “each customer will use the car in individual ways and experience its value differently” and “The supplier chain is based on mass manufacturing, whereas the customer value chain is individual and changeable” (ibid, p17). Gummesson calls for a research agenda which is more pragmatic and holistic, based on nodes, relationships and interactions.

In a review of more than 50 accounts of systems thinking, the common factors among these definitional sets of systems attributes have been identified by Atkinson and Checkland (Atkinson and Checkland 1988). These are often summarised as the twin concepts of emergence/hierarchy and information/control. They represent the twin concepts of systems thinking: what are the properties of systems? and how do they behave?. One of the authors who developed systems thinking using information/control in examining how systems behave is Ashby, who developed the law of requisite variety.

4. Variety

Ashby’s simple law is based on a simple model (itself based on a simple electrical circuit described as a “lash up”) consisting of just 4 elements: a disturbance, a transformation (that may be thought of as a set of laws), a regulator and an outcome. (See Figure 1). The role of the regulator R is to control the range of disturbance or variety in the disturbance (input) D, which is reaching the transformation T, in order to ensure that the outcome E remains within an acceptable range, one which does not threaten the survival of the system, allowing it to remain viable. The law states that the variety of response must match the variety of the disturbance. “only variety can destroy variety” (Ashby, 1969).

Figure 1 Ashby’s Model



Ashby's definition of variety is a count of the number of different states a system can be in, which can be expanded by including the ability of the observer to distinguish between them. (Ashby 1956). A system (which can be simply described as a set of elements giving rise to different states) can however have a number of dimensions each of which can have its own potentially different number of states, and hence variety. For instance, consider the example of a service system such as a haircutter, in which the disturbance (the customer) could have the following 3 dimensions: time of arrival, particular requirements, and gender. It should be evident that the variety (count of the number of states) in each of these dimensions is different. The reacting system, the T and the R, needs to be able to distinguish and react to both the dimensions and the variety of each, in order to achieve an acceptable outcome and remain viable. It should also be evident that as the number of possible dimensions of the system increases, analysis begins to suffer from the curse of dimensionality.

Stafford Beer extended Ashby's work into the notion of the Viable Systems Model. (Beer 1984). He developed variety engineering focusing on two aspects of achieving requisite variety, attenuation and amplification; he defines viability as the ability to survive in a specific environment. As Pickering points out Beer considered that "the success or failure of organisations was a function of their adequacy in coping with their environment, the outside world of suppliers and consumers" (Pickering 2002).

A producer may not want to offer fully bespoke products and services for many reasons and thus we design operational systems with limited variety. The challenge is to either make their proposition attractive to customers through marketing, or cause the customer to attenuate her variety, or to amplify the producer response. Consider a company that makes (as its value proposition) only black cars. Customers' indifference to this proposition could threaten the company's viability. Variety in choice by the customer could be attenuated by offering price promotions or redesignating "black" as somehow "cool". This could cause the customer to attenuate her variety (of request). Or the company could amplify variety by redesigning the production system to create cars of different colors, according to anticipated customer demand, or later perhaps, individual specification, and thus amplify production variety.

These are examples of variety engineering and show that for the outcome for both customer and producer systems to be viable variety must be matched by both the customer and the producer. Beer also said that different parts of the organisation as a system needed to treat variety differently and may need to amplify their range of responses rather than attenuate them.

What is viability? Berthon *et al.* (2008) have suggested that it is a measure of effectiveness, and that an effective organisation is one in which the internal structural variety is matching the variety in its environment. An interesting example of the application of LRV is given in relation to the structure of the organisation and how it reacts to variety through either a "machine" approach or a "holographic" reaction. "requisite variety in machine design corresponds to increasing differentiation of parts and functions (the part becomes more and more unique and less and less like the whole)." This is contrasted with the holographic design where dealing with "requisite variety corresponds to increasing the flexibility, richness and potentiality of the parts. Simply the part is enriched in that it develops the abilities of the whole: the whole is more accurately reflected in the parts." (ibid p216) - hence the holographic metaphor. The example given is the need for improved and different relationships between marketing and the more technical parts of the organisation: exemplified as manufacturing, R&D, information systems and accounting. Perhaps this could be seen as a call for the "productive core" to be opened up by and to marketing in the same way as it is to the customer in a service organisation.

How is variety represented in the management literature? It would seem to be depicted as either the linear inverse of volume, or as a "problem" to be dealt with. As an example of the former approach, Silvestro (1999) suggests that there is a natural inverse relationship for services along a volume - variety diagonal. To be cost effective service organisations should place themselves on this diagonal. Not all service industries will conform to this manufacturing development based model, and the cost focus is very internal. However the idea that being off the volume/variety diagonal is in some way less viable is a recurring theme.

The standard operational response to variety is that it is a feature to be eliminated as much as possible, by designing operations in such a way to be simple or by attempting to seal off the productive technical core from disturbances. An example of variety reduction is self service restaurants providing extremely limited menu choice, and clear instructions, and achieving a smoothed service demand, through queuing. This allows the substitution of technology for people in the service provision, which will lead to customers requiring new skills and increasing their variety. Chase (1978) suggests that the service systems be reorganized to isolate the technical core from the front office so that the benefits of manufacturing technology can be achieved.


Thompson (1967) suggests attempting to seal off the technical core and operate this as a closed system. This may be appropriate for manufacturing and make to stock / make to forecast producers but for service industries where the customer has a significant presence it is not appropriate as the system is open and cannot be closed. In a

service system it may not be possible to isolate the technical core and buffers may need to be introduced. These have been framed as rationing, client selection and socialization, (training), and routinisation and simplification of processes. (Mills and Moberg 1982).

A key feature of service systems is the presence of the customer, what Frei (2006) calls “throwing a customer into the works”. The presence of the customer suggests the core has been breached, and that the customer is now in the producer system. The challenge of understanding and matching variety starts when there is significant customer input and isolation is not possible.

Another key systems concept that may help demonstrate this is that of boundaries. Weinberg (2001) suggests the term “interface”, since a key thing about a boundary is that it connects, rather than separates. Using “interface” focuses attention on the connection between the environment and the system. This has implications for variety and service. “The market is a boundary or part of a boundary. [It] is the condensation of all the transactions across the boundary into a single visible arena.” (ibid p.166). This Weinberg says is an example of a port – a localized place on the boundary/interface which allows input and output; across the rest of the boundary no contact is allowed.

Figure 2 Description of Interactions of Customer and Producer System through Ports and Membranes




“Within the port special mechanisms can be brought to bear on the special problems of input to output” (ibid. p166). A market and a port become a way of matching and controlling variety. A port is contrasted with a membrane, the distributed interface: “an obvious example is the cell wall that may be penetrated *at almost every point on its surface, but not by everything and not at all times*” (ibid. p166, italics in original). There are more and more unpredictable flows across a membrane and control of the associated variety becomes more complex. The notion of a port and permeable boundary can be applied to distinguish goods based transactions and service based transactions. This is shown graphically in figure 2. It could be considered that goods type transactions most closely follow the port analogy, and service transactions, with the presence of the customer and significant customer inputs, and a longer contact time most closely resemble the membrane model.

Service can be seen as the interaction of two open systems through a membrane type interface. The variety implications of this are shown in figure 3. Instead of a traditional volume variety diagonal based on the producer, this shows that there is an interaction of two systems, the customer and the producer, each of which introduce and need to manage variety.

The law of requisite variety says that for each system to remain viable variety must be matched, and this is represented by the diagonal and the performance zone around it. If the producer has more variety in his system than the customer introduces during the service encounter, or offers less variety than the customer demands or introduces, these positions will be unviable, represented by the two unviable zones.

As an example consider two types of haircutting services – the boutique salon contrasted with a military barber. The former offers high producer variety against a varied customer demand, the latter a “one size fits all approach”. Both remain viable because, by whatever method, variety is matched. For either to operate off the diagonal would be to reduce viability. What types of variety might exist in such a service system are considered in the next section.

Figure 3 The Line of Requisite Variety




5. Service Systems

I am now in a position to combine the elements covered and describe a service system model based on Ashby's model, the Law of Requisite Variety, the Unified Services Theory and Service Dominant Logic. (See figure 4). The value proposition created by the producer and "sent" to the customer contains variety and represents a disturbance to the customer system. The customer needs to understand and match the variety in the Value Proposition with her internal variety. This is the first disturbance: an acceptable outcome to both would be the decision to purchase a service from the producer. The next disturbance is the customer input to the producer. Using the UST definition of service as a significant presence of customer inputs, (Samson and Froehle 2006) and Weinberg's overlapping systems concept, a "service system" is created by the coming together of the customer and producer, creating a necessary overlap of two systems across a wide interface. This temporary and dynamic service system is where co-production and initial co-creation of value can take place. Although the transformation "T" is common to the customer and producer, both use their own individual regulator "R" to control their respective variety to achieve an outcome "E" acceptable to each of them to remain viable. These two regulating functions are independent and remain so but need to combine to provide satisfactory outcomes. Co-creation of value continues after the service system is closed, and thus viability management of the individual systems continues to be necessary.

The model suggests a number of sources of variety which need to be examined: the value proposition, the customer reaction, the customer input to the service system, the producer input to the service system, and the customer and producer outcomes.

Ashby himself was not concerned with a clear definition or operationalisation of variety. In many respects this has hampered a wider use of his law. Two examples of methods of conceptualizing and operationalising variety are given which could be used in the service system model.

Figure 4 A Conceptual Model of a Service System



Frei (2006) typifies customer input variety in 5 dimensions: Arrival variability (peaks and troughs in service demand); Request variability (different requirements for each customer); Capability variability (customers have differing skill levels); Effort variability (some services require customer input/ participation and customers will have differing willingness to make effort); Subjective preference variability (different and contradictory views of what constitutes good service). These 5 dimensions seem to be a reasonably comprehensive description of the dimensions that a customer could introduce to the service system as sources of “ashbyian disturbance”, and the operational system needs to be able to recognise and identify the variety in each, and find a way of responding to each of them. For instance customers vary in their ability to assemble flat pack furniture; many suppliers explicitly ignore this by making it clear that their value proposition requires the customer to do the assembly themselves. A wider system has reacted to this through the provision of local providers of assembly services.

A potential way of operationalising production variety is suggested by Parnaby (1988) and his distinction of work types into runners, repeaters and strangers. (runners referring to goods that are produced frequently, repeaters produced less frequently but still regularly, and strangers being produced sporadically and unpredictably). Parnaby actually refers to them as regular runners, irregular runners and strangers and although he is talking about conditions suitable for JIT scheduling – (that runners are able to be pulled, strangers have to be pushed through, in a more traditional jobbing style approach), it does provide a potential nomenclature to describe and operationalise production variety and design approaches. A fourth category of “unknowns” would need to be added: those which might be considered to be just outside the current value proposition but feasible. For example, the different types of haircutting service referred to earlier show two different approaches: the boutique dealing with “strangers” with an accordingly high variety in customer requirement, the military barber dealing solely with “runners”. (An unknown in this service context would be for example a customer seeking advice on whether home visits were possible). Both haircutting services however could be of similar size and deal with similar volumes of demand. The producing organisation must determine how it will position its value proposition and production resource with respect to each work type.

6. Conclusions and Future Research

The proposed models of the Line of Requisite Variety and the combined service system are examples of how systems thinking can be used to conceptualise and describe. Both models need further development and empirical data gathered to prove or disprove them. (Although, Ashby would surely be sufficiently confident in the nature of his law to think that data would only provide examples, rather than contradiction).

Systems Thinking concepts and approaches could be used to provide a theoretical and philosophical underpinning for the emerging service science, and potentially assist Service Dominant Logic in establishing itself as a new paradigm; systems thinking provides insights that have not been in the past provided in the management or marketing literature.

I have taken the step of bringing the customer as her own system into the discussion of how the customer and producer system interact to create a service system, rather than follow the traditional systems view of analyzing one system, ((generally the producer system), acting within an environment. We should not necessarily see the development of service science just as a way of redefining marketing or relationships with the customer, but instead consider service science as a way of understanding the relationships between all parts of the organization and its suppliers, and the customer. Those, like Buhman et al (2005), who propose a research focus treating the organisation as a system and part of a network, could be limiting their scope too tightly: the customer needs to be included as part of the service system under analysis as well. It is important to acknowledge that restricting the contribution that systems thinking can make to service science just to network analysis could mean losing valuable additional insights.

In terms of future research programmes there are areas for exploration based on the findings of this paper, and also in the wider arena of the application of the wide range of concepts and methodologies in systems thinking to the study of service systems within service science.

In respect of the topics covered in this paper certain topics suggest themselves:

- A better conceptualization, operationalisation and test of Ashby's Law of Requisite Variety is required. This would include a better definition of its basic components: including disturbance, regulation, outcome and viability and their relationship within the system. Other areas would include: What does it mean to be on or off the diagonal line of requisite variety and hence outside the performance zone? What is the size and nature of the effect? What are the timescales involved? What is the contingent effect if any, of the environment and the industry?
- The inclusion of the customer into the "variety" equation as a participant, rather than as a nameless part of the environment, results in a number of relevant issues arising, among which are: How can the customer's system and network be conceptualized? What influences her ability to engineer and match variety? and how is it achieved?
- The way the two regulators in the service system interact and combine needs to be considered and examined. What is the effect on the service system if the independent customer and producer regulators combine in a way that makes that system unviable, and how may this be prevented? Is the influencing of the two regulators a role for marketing?
- Variety amplification, rather than reduction or accommodation techniques need to be properly understood, as do their relationships with co-production and co-creation of value. The ways described of measuring variety, and the techniques involved in creating barriers between the customer and the technical productive core, have as their aim the reduction or accommodation of variety, as if it were a quality to be removed at all costs, if only to reduce costs. Ashby contributed to this view of variety with his use of the word "destroy". A better approach may be to understand the potential benefits of amplifying variety, especially within the context of service organisations.
- Work needs to be done on how to conceptualize the ongoing co-creation of value as part of the system, and how the law of requisite variety affects this, once the transaction within the overlapping and combined new service system has been completed and the customer and producer go their separate ways.

I have demonstrated how one element of systems thinking, the Law of Requisite Variety can be applied to an understanding of how a service operates. There are potentially many more applications of systems thinking that could be applied in an attempt to more theoretically underpin service science.

References

- Ashby, W.R. 1956. An Introduction to Cybernetics, Chapman and Hall, London; Internet (1999) <http://pcp.vub.ac.be/books/IntroCber.pdf>
- Ashby, W.R. 1969. Self Regulation and Requisite Variety, in Emery, F.E. (Ed.): *Systems Thinking*, Penguin Books, Middlesex, 105-124.
- Atkinson, C.J., P.B.Checkland, P.B. 1988. Extending the Metaphor System. *Human Relations* **41**(10) 709-724.
- Beer, S. 1984. The Viable System Model: Its Provenance, Development, Methodology and Pathology. *Journal of the Operational Research Society* **35**(1) 7-25.
- Berthon, P., L.Pitt, D.Nel, E.Salehi-Sangari, A.Engstrom. 2008. The biotechnology and marketing interface: Functional integration using mechanistic and holographic responses to environmental turbulence. *Journal of Commercial Biotechnology* **14**(3) 213-224.
- Buhman, C., S.Kekre, J.Singhal. 2005. Interdisciplinary and Interorganizational Research: Establishing the Science of Enterprise Networks. *Production and Operations Management* **14**(4) 493-513
- Chase, R.B. 1978. Where does the customer fit in a service operation? *Harvard Business Review* **56**(6) 137-142.
- Chase, R.B. 1981. The Customer Contact Approach to Services: Theoretical Bases and Practical Extensions. *Operations Research*. **29**(4)698-706.
- Churchman, C.W. 1971. *The Design of Inquiring Systems: Basic Concepts of Systems and Organisations*. Basic Books, New York, N.Y.
- Forrester, J.W. 1958. Industrial Dynamics: A major breakthrough for decision makers. *Harvard Business Review* **36**(4) 37-66.
- Frei, F.X. 2006. Breaking the Trade Off between Efficiency and Service. *Harvard Business Review* **84**(11) 92-101.
- Godsiff, P., RMaull, F.Ponsignon, A.Smart. 2009 Operationalising Variety. *Quis 11, The Service Conference*, Wolfsburg, Germany.
- Gummesson, E. 2008. Extending the service dominant logic: from customer centricity to balanced centricity. *Journal of the Academy of Marketing Science* **36**(1) 15-17.
- Jackson, M.C. 2003. *Systems Thinking*. John Wiley & Sons, Chichester.
- Judd, R.C. 1964. The Case for Redefining Services. *Journal of Marketing* **28**(1) 58-59.
- Katz, D., R.L.Kahn. 1969. Common Characteristics of Open Systems. Emery, F.E. (Ed.): *Systems Thinking*, Penguin Books, Middlesex England. 86-104.
- Lovelock, C., E. Gummesson. 2004. Whither Services Marketing?: In Search of a New Paradigm and Fresh Perspectives. *Journal of Service Research* **7**(1) 20-41.
- Mills, P.K., D.J.Moberg. 1982. Perspectives on the Technology of Service Operations. *Academy of Management Review* **7**(3) 467-478.
- Parnaby, J. 1988. A systems approach to the implementation of JIT methodologies in Lucas Industries. *International Journal of Production Research* **26**(3) 483-492
- Pickering, A. 2002. Cybernetics and the Mangle: Ashby, Beer and Pask. *Social Studies of Science* **32**(3) 413-427.
- Sampson, S.E., C.M.Froehle. 2006. Foundations and Implications of a Proposed Unified Services Theory. *Production and Operations Management* **15**(2) 329-343.
- Shostack, G.L. 1982. How to Design a Service. *European Journal of Marketing* **16**(1) 49-63.
- Silvestro, R. 1999. Positioning services along the volume-variety diagonal. *International Journal of Operations & Production Management* **19**(3/4) 399-420.
- Silvestro, R., L.Fitzgerald, R.Johnston, C.Voss. 1992. Towards a classification of service processes. *International Journal of Service Industry Management* **3**(3) 62-75.
- Thompson, J.D. 1967. *Organizations in Action*. McGraw - Hill, New York, N.Y.
- Vargo, S.L., R.F.Lusch. 2004. Evolving to a New Dominant Logic for Marketing. *Journal of Marketing* **68**(1) 1-17.
- Vargo, S.L., R.F.Lusch. 2008. Service Dominant Logic: Continuing the evolution. *Journal of the Academy of Marketing Science* **36**(1) 1-10
- Weinberg, G.M. 2001. *An Introduction to General Systems Thinking - Silver Anniversary Edition*. Dorset House, New York.
- Zeithaml, V.A., A. Parasuraman, L.L.Berry. 1985. Problems and Strategies in Services Marketing *Journal of Marketing* **49**(2) 33-36.



Phil Godsiff has an M.A. in Economics from Cambridge University, UK and is currently a doctoral student and researcher in the Institute for Service Research at the University of Exeter Business School, UK. His research interests are primarily concerned with the application of systems theory and thinking to service operations and design, and of their potential in the development of service science; he has presented at a number of international conferences on Ashby's Law of Requisite Variety. He is a Chartered Accountant with 25 years experience in retail financial services, latterly concentrating on the design, build and operation of internet financial service offerings and complete banks.