



Manufacturing & Service Operations Management

Publication details, including instructions for authors and subscription information:
<http://pubsonline.informs.org>

Empirical Research in Healthcare Operations: Past Research, Present Understanding, and Future Opportunities

Diwas Singh KC, Stefan Scholtes, Christian Terwiesch

To cite this article:

Diwas Singh KC, Stefan Scholtes, Christian Terwiesch (2020) Empirical Research in Healthcare Operations: Past Research, Present Understanding, and Future Opportunities. *Manufacturing & Service Operations Management* 22(1):73-83. <https://doi.org/10.1287/msom.2019.0826>

Full terms and conditions of use: <https://pubsonline.informs.org/Publications/Librarians-Portal/PubsOnLine-Terms-and-Conditions>

This article may be used only for the purposes of research, teaching, and/or private study. Commercial use or systematic downloading (by robots or other automatic processes) is prohibited without explicit Publisher approval, unless otherwise noted. For more information, contact permissions@informs.org.

The Publisher does not warrant or guarantee the article's accuracy, completeness, merchantability, fitness for a particular purpose, or non-infringement. Descriptions of, or references to, products or publications, or inclusion of an advertisement in this article, neither constitutes nor implies a guarantee, endorsement, or support of claims made of that product, publication, or service.

Copyright © 2019, INFORMS

Please scroll down for article—it is on subsequent pages



With 12,500 members from nearly 90 countries, INFORMS is the largest international association of operations research (O.R.) and analytics professionals and students. INFORMS provides unique networking and learning opportunities for individual professionals, and organizations of all types and sizes, to better understand and use O.R. and analytics tools and methods to transform strategic visions and achieve better outcomes. For more information on INFORMS, its publications, membership, or meetings visit <http://www.informs.org>

20th Anniversary Invited Article

Empirical Research in Healthcare Operations: Past Research, Present Understanding, and Future Opportunities

Diwas Singh KC,^a Stefan Scholtes,^b Christian Terwiesch^c
^a Goizueta Business School, Emory University, Atlanta, Georgia 30030; ^b Cambridge Judge Business School, University of Cambridge, Cambridge CB2 1AG, United Kingdom; ^c The Wharton School, University of Pennsylvania, Philadelphia, Pennsylvania 19104

Contact: diwas.kc@emory.edu,  <http://orcid.org/0000-0003-4358-2058> (DSK); s.scholtes@jbs.cam.ac.uk (SS); terwiesch@wharton.upenn.edu (CT)

Received: March 20, 2019

Revised: April 8, 2019

Accepted: April 9, 2019

Published Online in Articles in Advance: November 8, 2019

<https://doi.org/10.1287/msom.2019.0826>
Copyright: © 2019 INFORMS

Abstract. We examine the published empirical literature in healthcare operations management over the last 20 years. We note several unique characteristics of the research in healthcare operations, including a focus on operational and organizational variables, an interest in the underlying mechanisms that explain operational causal pathways, and an interest in economic and managerial implications. We organize the prior findings under five distinct themes: importance of operational variables, importance of volume, routing patients through healthcare systems, to err is human, and managing the improvement process. We also identify several key areas of future research, including personalized medicine, value-based healthcare, and connected health. We conclude with a call to action for greater engagement with the medical community in areas where tools and insights of operations management can bring about improvements in healthcare delivery.

History: This paper has been accepted for the *Manufacturing & Service Operations Management* 20th Anniversary Special Issue.

Keywords: healthcare operations management • empirical operations management • literature review • trends

1. Introduction

Large healthcare systems are commonly analyzed along three dimensions, which are often referred to as the Iron Triangle of Healthcare (Kissick 1994): cost, access, and quality. If one examines these three dimensions to assess performance, it is clear that the healthcare systems of most countries are in a state of crisis. Healthcare costs have increased rapidly. In 1960, the United States spent 5% of its gross domestic product on healthcare. This number grew to 18% by 2017.¹ Despite the rise in costs, access to care continues to be problematic for many patients. In the United States, 27 million patients are uninsured, severely restricting access to care due to reimbursement issues. In Canada and most of Europe, where every person has the right to be insured or is covered by government insurance, access to care is still hampered by long waiting times. Finally, quality of care has also been heavily critiqued. A recent study estimates that some 700 patients die every day due to medical errors, and 8.9% of surgeons self-report having made a major surgical error in the last 3 months (Shanafelt et al. 2017).

The three dimensions of cost, access, and quality are at the heart of any introductory operations management course or textbook (Cachon and Terwiesch 2019). Moreover, the practice of operations management offers the promise that systems can be improved. Contrary to

Kissick's (1994) Iron Triangle paradigm, which postulates that any improvement in one dimension will be detrimental to the performance of at least one of the other two dimensions, the field of operations management is founded on the notion that system inefficiencies are complex and not unilaterally interdependent. Thus, it is possible for large system dysfunction to be reduced through processes that provide technological and organizational innovation mechanisms that are rooted in continuous, detailed analysis. As a result, access, cost, and quality do not have to be traded off against each other for us to see improvement in the healthcare system.

Improving healthcare by applying principles of operations management certainly is an ambitious task. Some work has been done, but most of the journey still lies ahead. The purpose of this review article is to take stock of the operations management research in healthcare. We then synthesize this research by articulating a set of five findings that, in our view, summarize the present understanding that the field of operations management has empirically established in the domain of healthcare. Finally, we conclude by describing where we see the biggest gaps between what we know and what we feel is needed. The focus of this review is entirely on empirical work in healthcare operations, and we direct the reader to the accompanying article by Keskinocak and Savva (2019) on mathematical models of healthcare operations.

2. Past Research

The goal of healthcare operations management is to create and manage a system that provides a population with the right professional service at the right time and place so that individuals remain as healthy as possible for as long as possible, and at the lowest possible cost to society. In evaluating the performance of healthcare systems, the key outcomes of interest are access, costs, and quality. To that end, the healthcare operations management literature focuses on the efficient allocation of critical resources, the design and organization of effective delivery systems, and the use of technology in enabling new innovative models of care delivery.

2.1. The Unique Approach of Healthcare Operations

The earliest papers in healthcare operations management typically involved the reapplication of existing models from manufacturing and services to the healthcare setting. Examples include capacity sizing, patient scheduling, and process flow improvements applied to patient flow in hospitals. However, recent papers, especially empirical ones, have focused on challenges unique to the healthcare domain. As a result, the emerging work in healthcare operations bears some similarities with the fields of clinical research, health services research, and health economics. Yet, healthcare operations management differs from these other streams of inquiry in three important ways.

1. Healthcare operations management tends to focus on operational and organizational variables (e.g., workforce, design of work, resources, and process flow), rather than clinical variables that the medical professional has historically studied.
2. Unlike medical papers, healthcare operations management is not only concerned with evaluations of interventions (e.g., does using a blood-glucose app help control diabetes?) but is also deeply interested in the underlying mechanisms in the care process that affect or moderate its effectiveness.
3. The goal of research in healthcare operations is not only to develop managerial and economic insights, but also to formulate prescriptive solutions.

2.2. Rapid Growth in Research

The empirical analysis of healthcare operations management has become increasingly popular in the top journals of operations management. According to a database tracking empirical research in operations management across all industries (Terwiesch et al. 2019), prior to 2005, the journals *Management Science*, *Manufacturing and Service Operations Management*, and *Production and Operations Management* together published roughly one empirical healthcare operations

article every other year. That number grew to one article per year from 2006 to 2010 and since then has risen sharply, with the years 2016 and 2017 seeing eight empirical articles each. A key driver behind this explosive growth has been data availability. Early papers had little data available as far as the actual process dynamics involved in the care delivery. Data such as patient waiting times or processing times of providers were typically not available, and, if they were, they had to be manually connected with the patient medical record.

This changed fundamentally with the introduction of patient-tracking systems. Although these systems were primarily designed to facilitate the day-to-day operations, their time-stamped format, which tracks each patient from arrival to discharge, provided researchers with granularity of information that had not existed before. This enabled two types of new research studies in healthcare operations:

- The length of stay of a patient could be decomposed into various elements, and the flow of patients, including waiting times and patients bouncing back to a prior unit, could be analyzed.
- The time stamps for the key flow events of all patients enabled a researcher to retrospectively determine the census of a unit or a hospital at any moment of time. Such census information can be used as an important driver of outcomes.

As hospitals continue to advance their implementation of tracking technologies, new types of data sets emerge. For example, Staats et al. (2016) employ monitoring technology data to determine whether providers followed the handwashing protocol when entering a patient room, and Kim et al. (2017) observe the temporal changes in acuity levels for patients in the intensive care unit (ICU). At an even more granular level, Meng et al. (2019) analyze a database in which each nurse's exact location in an emergency department was recorded every few seconds, enabling the authors to measure nurse walking behavior and how quickly nurses responded to patient calls. In sum, it appears that the constraint of data availability has been greatly relaxed.

This growth in publication parallels other trends. The Healthcare Operations Management Special Interest Group, which did not exist over a decade ago, is now one of the largest groups at the annual Manufacturing and Service Operations Management conference. A few years ago, INFORMS began an annual healthcare conference, which now hosts around 500 talks and posters annually. Moreover, empirical healthcare operations is a popular topic among doctoral students and recent graduates of many operations management programs, indicating that interest in healthcare operations management is likely to grow.

3. Our Present Understanding

Looking at the journals (*Management Science*, *Manufacturing and Service Operations Management*, and *Production and Operations Management*), we have identified a set of over 70 empirical papers in healthcare operations. We focus our review on these three journals, but certainly want to acknowledge that more work has been done in other journals and the previously mentioned adjacent research communities.

We synthesized the results of prior work into five findings. Each finding is, by design, rather broad, and the reviewed articles might fit to multiple findings. Nevertheless, we find that the structure we impose makes it easier for the novice reader to navigate this exciting field.

3.1. Importance of Operational Variables

Understanding the drivers of patient outcome is critical to the advancement of medicine. However, prior research in medicine has primarily focused on patient-level clinical variables (such as socio-demographic data, comorbidities, risk scores, etc.) in influencing outcomes. An important line of work in healthcare operations has shown that even after accounting for patient-level medical risk, operational factors directly impact patient outcomes, sometimes more significantly than well-known medical variables.

Consider, for example, the role of system-level utilization. As utilization rises, providers get busy and fatigued, beds are filled, and response times for tests increase. Does it matter for the medical outcomes of a patient whether she arrives to a busy hospital? A number of healthcare operations management articles have demonstrated that operational variables such as workload, arrival times, or the day of week impact care-delivery pathways and patient outcome. KC and Terwiesch (2009) show how care is accelerated for patients that are treated in a busy system. In a large, multisite study of 83 German hospitals, Kuntz et al. (2014) provide empirical evidence for the existence of safety tipping points, which are levels of system utilization beyond which patients are exposed to an increase in mortality risks. KC and Terwiesch (2012) and Kim et al. (2015) examine patient flow through a hospital's ICU and find that high levels of bed occupancy were more likely to lead to patients being discharged prematurely or not being admitted to the ICU at all, both of which can increase the risk for revisits (or bounce-backs) of patients into the ICU at future times. Berry Jaeker and Tucker (2016) find a nonlinear N-shaped effect of utilization on the length of stay for patients being discharged from the hospital.

Lack of available resources can also greatly impact the types of treatment offered to patients. For example, Freeman et al. (2017) find that a high level of

workload for midwives leads to a greater likelihood of complex patients being referred to specialists. The effects of downstream utilization can also be felt in the hospital's emergency department (ED); Allon et al. (2013) show that bed shortages in the hospital inpatient units can drive increased congestion in the ED, leading to increased rates of ambulance diversions.

Operational variables such as the time of treatment also have a surprising and significant impact on clinical outcomes. For example, Anderson et al. (2014) find that trauma patients who arrive at the hospital during off-hours receive inferior care, resulting in worse clinical outcomes. KC (2019) finds that heuristics based on the hour of admission can have a significant effect on the patient length of stay, with important implications for operating costs and capacity availability. Bartel et al. (2019) find that the day of week of admission can impact whether the patient incurs a weekend hospital stay, resulting in patient length of stay and clinical outcome implications. Similarly, Batt et al. (2017) find that emergency room patients are impacted by the time-in-shift of the treating physician. In particular, patients who are assigned toward the end of a doctor's shift are more likely to be handed off to a physician beginning the next shift, resulting in a notable impact on service quality, as evidenced by increased hospital length of stay and a likelihood of a hospital revisit. Deo and Jain (2018) similarly find temporal heterogeneity in service rates in an outpatient clinic setting; patients arriving later in the day experience a shorter length of stay compared with those arriving earlier. We thus summarize the first finding as follows:

Finding 1. *Operational characteristics play an important role in influencing patient outcomes and warrant just as much attention as patient-level clinical characteristics (e.g., socio-demographics, comorbidities, risk scores, etc.), which have been the primary focus of prior research in medicine.*

3.2. The Importance of Volume

A stream of literature in healthcare operations has studied the effect of volume of clinical activity on outcomes, service times, and costs. Volume of activity can be measured in at least three different but correlated ways: First, it can be measured as the overall *cumulative* volume of past activity at a certain point in time. Second, it can be measured as the volume of activity per period of time, and, third, it can be measured in relative terms as the percentage volume of a specific activity relative to all other activities performed by a provider or organization.

Cumulative volume relates to learning curve, often referred to as the "volume–outcome" effects in the medical literature: Outcomes achieved for a specific procedure by hospitals and individual doctors

improve as their cumulative patient volume in that procedure increases. In one of the earliest empirical healthcare operations papers, Pisano et al. (2001) demonstrate that rates of learning for the same cardiac surgery procedure vary significantly between hospitals. Subsequent work has unpacked the drivers of learning to understand the cause of this variation, establishing firm specificity (Huckman and Pisano 2006, Theokary and Justin Ren 2011), team specificity (Reagans et al. 2005, Avgerinos and Gokpinar 2016), variety-of-experience specificity (KC and Staats 2012, Ramdas et al. 2017), the dependence on successes and failures (KC et al. 2013), and the role of new information (Staats et al. 2017) as moderators of learning.

Period-specific volume effects relate to the actual scale of activity. Using the context of cardiac surgery, KC and Terwiesch (2011) study how changes in relative scale of an activity, also referred to as focus, affect length of stay in a hospital. They emphasize that focus can be measured at different levels within the hospital, at the hospital level, the department level, or the process level and show that the lower-level focus variables are more robustly associated with reduced length of stay. Clark and Huckman (2012) find that hospitals that are more focused on cardiac surgery have lower mortality rates and that the association is more pronounced when complementary services are present in the hospital. This warns against a narrow specialization from a quality perspective and is confirmed by a mortality study by Kuntz et al. (2019), who find that routine elective patients benefit most from their hospital's focus on their disease segment, whereas emergency patients with significant comorbidities see no benefit.

Economies-of-scale effects in hospitals have been explored at length in the health economics literature [see, e.g., Giancotti et al. (2017) for a recent survey]. However, although the majority of studies find evidence of the existence of economies of scale, their magnitude and moderating circumstances remain subjects of debate. Exploring scale spillover effects between services, Freeman et al. (2019) find that an increase in the volume of elective activity in a focal specialty tends to make emergency care in the focal specialty more expensive, whereas an increase in volume of emergency activity in another, nonfocal specialty tends to make emergency care in the focal specialty less expensive.

A key mechanism through which scale improves outcomes and productivity is task specialization, as division of labor becomes only economic at scale. However, a large number of specialists also means that there will be multiple handoffs among key stakeholders, leading to increased coordination and communication costs. In managing this trade-off,

healthcare providers and physician practices may choose to maintain fewer levels of staff (Dobson et al. 2009). Similarly, White et al. (2017) note that, although the use of midlevel care providers to perform some of the tasks is an increasing trend, there are a range of scenarios where not hiring a midlevel provider (i.e., the physician works alone) is likely to be most profitable for the clinic. Similarly Lu and Lu (2016) find that laws limiting overtime for permanent workers lead to greater use of temporary workers (an operational flexibility response), to the detriment of quality of care. We summarize our second finding as follows:

Finding 2. *Care processes improve with cumulative volume (a result known as the learning curve), and the learning rate is affected by organizational factors. Care processes benefit from scale (volume per period), but changes in the scale of a specific service can have spillover effects to other services that can be positive or negative.*

3.3. Routing Patients Through Healthcare Systems

In a focused care process, a healthcare system avoids the challenge of dealing with a heterogeneous patient population. But, if each resource in the healthcare system is focusing on a given indication, the routing of patients through the system becomes critical. Getting the right patient to the right clinicians at the right time and place is a fundamental day-to-day challenge in healthcare operations. In other words, it is not enough to just study individual resources, but one has to analyze the larger network.

For example, a researcher modeling the demand for an emergency room might simply look at the number of cases arriving in a given time period as exogenous demand. However, such a modeling approach hides the fact that the patients arriving in the ER might have been cared for before (Bavafa et al. 2019). If a primary-care appointment had been easily available at the time the patient experienced the first symptoms, maybe the ER visit could have been avoided. Moreover, if the waiting times in the ER are getting too long, the patient might decide to delay or shorten her reception of care in the ER. Such an incomplete treatment could come at the expense of worse health and increased clinical needs in the future.

This example illustrates four interdependencies among resources in the healthcare network. First, we need to understand the routing decisions of providers, who are not just care resources but also the ones referring to other resources. Consider, for example, the decision to admit a critical care patient to the ICU. Kim et al. (2015) find that available ICU capacity significantly influences whether the patient is admitted to the appropriate ICU. Such access-to-care decisions have been studied in the hospital

patient admission from the emergency department (KC and Terwiesch 2017), where high levels of inpatient bed occupancy lead to fewer patients admitted as inpatients from the ED, even after accounting for their medical conditions; in maternity-care decisions, the lack of available resources has also been found to influence patient-care pathways (Freeman et al. 2017). Lu and Lu (2018) study the interhospital transfer of patients and find that the routing decisions by providers are more significantly affected by hospital relationships than by travel distance or quality of providers.

Second, some routing decisions are made by the patients. This includes abandoning the wait for a resource, as well as the decision to seek out resources in the first place. For example, Batt and Terwiesch (2015) find that queue length and the perceived increase in the waiting time lead to patients abandoning the emergency department. Moreover, patients in a healthcare network take into account information in delay announcements in choosing emergency care providers (Dong et al. 2018). The decision to seek care has also been found to be influenced by various factors, including physician ratings and time to appointment (Salzarulo et al. 2016; Liu et al. 2017, 2019; Osadchiy and KC 2017); online physician ratings can provide a valuable information source for patients to learn about physician quality (Lu and Rui 2017).

Third, often times, routing happens in the form of an escalation. As one resource has failed in providing the care, the patient's health deteriorates and now needs to be handled at a more sophisticated (and expensive) resource. Chan et al. (2016) find that delays in admitting patients to the ICU can negatively impact subsequent quality of care in the ICU, as evidenced by increased ICU length of stay. Escalations due to quality-of-care issues have been described in cases of patients bouncing back to the ICU and impeding patient flow (KC and Terwiesch 2012, Chan et al. 2014, Long and Matthews 2018). Escalations can also take the form of bounce-backs of patients to the hospital once they have been discharged. For example, governmental policies (Zhang et al. 2016) as well as conformance to care-delivery standards (Senot et al. 2015) have been found to be strong predictors of postdischarge hospital revisits. Relatedly, Andritsos and Tang (2014) find that standardization of care achieved from implementation of medical guidelines leads to lower resource usage (indicated by length-of-stay reduction), especially in less-focused environments.

Finally, in light of these multiple channels through which care can be delivered, system design decisions are critical. In particular, coordination activities among providers in healthcare coalitions can have a significant effect on rapid response to emergency and mass-

casualty events (Mills et al. 2018). Similarly, managing the inpatient scheduling process to smooth out bed availability can help to improve bed availability for patients who present in the ED (KC and Terwiesch 2017). Early task initiation (Batt and Terwiesch 2016) can also help to mitigate the effects of congestion on performance of the ED. Finally, having an appropriate level of community-based primary-care services has also been found to improve population health (Zepeda and Sinha 2016). We thus summarize our third finding as follows:

Finding 3. *To get the right patient to the right provider at the right time requires informed routing decisions and an appropriate overall design of the system.*

3.4. To Err is Human

In 1999, the Institute of Medicine published "To Err is Human," a report based on a multiyear study examining the state of care delivery in the United States, highlighting the importance of human fallibility in the provision of care (Donaldson 2000). Operations management is uniquely suited to study errors and failure, having developed numerous methods and tools geared toward process analysis and the identification and management of points of failure.

The advent of microlevel transactional data from healthcare has further allowed researchers to examine care delivery at a more granular level and to explore the human elements of failure. For example, Staats et al. (2016) examine a well-understood clinical practice—hand hygiene—and find that providers often systematically deviate from best practices. Relatedly, lack of observability can also lead to providers misreporting incidences of hospital-acquired infections, in order to improve their reimbursements (Bastani et al. 2019).

Often times, healthcare workers have a large amount of discretion in their work—that is, there is no clear standard. For example, a form of discretion in work is the pickup of patients in the emergency department; the number of patients concurrently seen by a given physician at any point in time in the emergency department can vary significantly. However, this variation in the level of multitasking (KC 2013) can dramatically affect service quality. When physicians practice across multiple hospitals, switching between multiple sites, or multisiting, also affects the patient service time and the quality of care (KC and Tushe 2019). Such variations in workload also have a direct effect on hospital revenues (Powell et al. 2012). An important form of discretion for knowledge workers confronted with several different tasks is which task to complete first. Ibanez et al. (2017) have found that workers often deviate systematically from the prescribed task sequence. In particular, doctors prioritize similar tasks (batching) and those tasks they expect

to complete faster. KC et al. (2019) also find evidence of task-completion preference (TCP) toward completing easier tasks during periods of high workload; they find that, although TCP leads to increased performance in the short term, it can impede longer-term learning effects.

Peer effects have also been found to be salient. For example, Song et al. (2015) find that pooling of doctors surprisingly has a negative effect on the productivity of the ED, as the effects of free-riding dominated the beneficial effects of queue pooling. Peer effects also influence how individual providers utilize past experiences in generating improvement over time (KC et al. 2013). We summarize this by stating the following:

Finding 4. *Behavioral factors contribute to a large gap between the medical standards of care and the care that is provided at the bedside.*

3.5. Managing Process Improvement

The previously mentioned studies of learning all report a large degree of heterogeneity across the learning rates. Beyond system design-level decisions such as volume, it has been shown that the process of learning can be actively managed. We find it helpful to distinguish between articles that focus on the organizational dynamics of this improvement process and those that present specific operational models.

3.5.1. Organizational. In general, although operational improvement in hospitals is perceived as a challenge, there are various organizational interventions and policy levers that can greatly aid process improvement. For example, management by walking around, where senior employees observe frontline workers at work (Tucker 2007, Tucker and Singer 2015), has been found to aid process improvement. Creating a culture that supports psychological safety (Tucker et al. 2007), providing public feedback (Song et al. 2017), and maintaining an appropriate level of administrative oversight (Senot et al. 2016) have also been found to be crucial in improving care delivery.

Some of this work has examined the moderating role of technology in the improvement of care processes. For example, Hydari et al. (2018) find that the use of electronic medical records led to a 17.5% decline in patient safety events. Lu et al. (2017) find that the adoption of health IT can enhance the automation of nursing tasks, particularly at high-end nursing homes, resulting in reduced staffing levels and improved clinical quality. Angst et al. (2011) further find that the sequence of adoption of the types of healthcare IT also matters; in particular, hospitals that integrated foundational technologies first tended to

generate better performance outcomes. At the system level, Ayer et al. (2017) find that the adoption of health-information exchanges led to an over 10% reduction in length of stay in emergency departments. Laker et al. (2018) find, however, that the easy access to clinical information in the form of electronic health records can lead to information overload, compromising productivity and quality of care. However, stressing key aspects of the information to decision makers was found to improve the quality of care.

Finally, the development and implementation of process compliance has been found to also improve clinical outcomes. For example, improvements in internal service quality measures (Zheng et al. 2018) and the improvement of process conformance have been found to directly impact patient quality of care (Chandrasekaran et al. 2012, Senot et al. 2016). Workarounds and first-order problem solving have been found to deter operational improvement; Tucker (2015) finds that making workarounds more difficult to implement and providing frontline workers with greater access to process owners can lead to increased communication about operational failures.

3.5.2. Operational Models. The field of operations management has developed a number of analytical tools to help determine how much capacity is needed to manage uncertain demand. For example, the newsvendor model has been used for evaluating the trade-off in allocation of operating-room capacity (Olivares et al. 2008, He et al. 2012) and in nurse staffing decisions (Green et al. 2013). Some of this work involves using detailed patient-level data to improve appointment scheduling (Salzarulo et al. 2016) or to match patients to providers more effectively (Wang et al. 2018).

Some of the research has also examined the effect of changes to the patient flow process on the overall throughput rates, as well as quality of care. For example, Hu et al. (2018) consider the effect of early transfers of patients to the ICU based on their medical risk scores; Chan et al. (2019) similarly consider the effect of step-down units on overall patient throughput from the ICU. KC and Terwiesch (2017) find that smoothing inpatient schedules can greatly aid patient access from the emergency department. In the emergency department, early task initiation in anticipation of future resource demands constitutes a form of demand smoothing, helping to match supply with demand more effectively (Batt and Terwiesch 2016). We thus summarize our fifth finding as follows:

Finding 5. *The rate of improvement is not exogenous, but it can be improved through good microlevel organizational design and the use of operational models.*

4. Exciting Areas for Future Research

So far, we have described five streams of research. Each of the streams has established a set of findings that we broadly synthesized above. By articulating these findings, we do not imply that these research streams have converged or have come to a dead end. To the contrary, a substantial amount of future research is needed to refine these findings so that they can be applied with the same degree of confidence that inventory management models are now applied in supply chain settings.

As we think about the future of healthcare operations, however, it is important for us to realize that the field of medicine itself is going through a transformation. New payment systems, the possibilities associated with digital and connected technologies, and scientific breakthroughs all will have dramatic effects on the delivery of clinical care. In light of these changes, insights from operations management are needed more than ever to help design new care-delivery models that provide access to high-quality care at affordable costs to society.

4.1. New Payment Systems: Value-Based Healthcare and Service Integration

The dominant hospital-reimbursement system today, codeveloped by the late Professor Robert Fetter of Yale's Operations Research Department in the 1970s, is based on so-called diagnosis-related groups (DRGs). In a nutshell, Fetter's work defined the range of products that hospitals produce. In a DRG system, hospitals are paid according to a national tariff for each patient within a given DRG. However, DRG-based reimbursement comes with some challenges, which include incentivizing the overproduction of high-margin DRGs, even if not in the interest of the patient; cutting corners and externalizing quality problems (e.g., from the hospital to the community); or cherry-picking less costly patients within a DRG category. Ever since the introduction of DRGs, hospital regulators have been refining the system, which has rendered the system highly complex but has not addressed the root cause of these problems: DRG systems do not reimburse for quality; they are based on counting activity—the amount of *healthcare* provided rather than the amount of *health* the patient population enjoys.

Value-based healthcare (Porter and Teisberg 2006) aims to pay for “outcomes that matter to patients.” Outcomes are defined at the level of a condition or a procedure. In a recent *NEJM Catalyst* survey, 42% of 552 responding clinical leaders, clinicians, and executives of U.S. healthcare organizations agreed with the statement that value-based healthcare will become the primary revenue model for their organization.²

Although the clinical and economic principles of value-based healthcare are sound and relatively well understood, its operationalization is still in its infancy. A core challenge of outcome-based reimbursement is that if we pay hospitals for outcomes, hospitals will need to control what happens to the patient after discharge. Value-based healthcare is thus predicated on the careful integration of a range of different healthcare providers, who are rarely in the same organization. This integration effort is the fundamental operational challenge of value-based healthcare.

A bewildering array of different integration models are being tested across the world. Prominent examples are the nearly 1,000 Accountable Care Organizations in the United States. These organizations are not reimbursed on their level of activity. Instead, they receive an annual capitation payment for a clearly specified population to provide a clearly defined range of services against specific quality targets. What makes some integration models work and others not? What advice can we, as operations management researchers, offer on the operationalization of such integration efforts? How should make-or-buy decisions be made by provider organizations? What kinds of contracts lead to improved outcomes? Which population characteristics affect the relative effectiveness of different integration models? Answering these questions requires empirical work that accurately captures clinical and operating considerations.

4.2. Digitization and Connected Health

Digitization is fundamentally changing how healthcare is delivered, and this change in itself provides a very rich and exciting research context for operations management scholars. At the same time, digitization provides a step-change in our ability to do empirical research, as modern electronic medical records offer incredibly granular maps of care processes at the patient level.

The digital revolution in healthcare is changing clinical workflows. The ward, where paper notes and patients were traditionally collocated, is no longer the natural adjourning location for physicians, who shift their time from the bedside to computer screens. This reduction of face-to-face contacts between clinicians and their patients comes with challenges. As operations management scholars, we are well equipped to study these work patterns.

Technology also allows providers to track their patients who are currently not in the hospital. Patients make decisions related to diet, exercise regimen, or medication adherence without the involvement of care providers at times when they are unconnected to the healthcare system. The nascent field of Connected Healthcare is concerned with designing care processes that take advantage of technologies such as

connected scales, pill bottles, glucose meters, wearable devices, and even implantable devices to “hover over” patients during the time when they are not in the hospital. The advent of connected health also enables the delivery of care in noninstitutional settings, such as the patient’s home or long-term care facility, more conveniently and cost-effectively.

More connections, however, do not automatically translate into better care. Providers are already busy with their traditional duties of helping the patients they see in the clinics. When in the future they will receive countless emails and message alerts from their patients outside the clinic, workflows and operations have to be redesigned. Bavafa et al. (2018) show that when patients have easy email connections to their provider, system productivity is decreased rather than increased. This creates a “productivity paradox” of information technology investments that deserves further attention.

4.3. Scientific Breakthroughs: Precision Medicine and Personalized Medicine

At present, it is difficult for doctors to predict which treatment will be best for a specific patient at a specific time. Available evidence is based on average treatment effects on narrowly defined clinical endpoints in randomized controlled trials across large patient samples, satisfying a specific range of inclusion criteria. The treatment is known to improve specific measures more often than not in this defined population, but it is not known whether the treatment is the best one for the patient at hand.

Precision medicine, sometimes also referred to as personalized medicine, replaces the traditional “one-size-fits-all” approach of disease management by a more targeted approach, based on the use of data and prediction technologies that advise doctors which medical treatment will be safe and effective for an individual patient, based on patient-level information, including genetic, epigenomic, clinical, and non-clinical information.

Precision medicine is not a panacea, and predictions will remain imperfect. The value of that imperfect information will depend on how the technology is integrated into the complex healthcare service-delivery system. Operations management scholars are well placed to help the medical community understand how to customize care delivery by integrating prediction technology into complex healthcare service systems and combine the predictive power of analytics with patient preferences to achieve more satisfying outcomes for patients.

5. Conclusion and Call to Action

The complexity of healthcare operations attracts scholars with diverse interests who cover a wide

spectrum of research projects, drawing on the full range of research in management, economics, and, not least, medicine. But, at the same time, this diversity provides a challenge because it can lead to fragmentation of scholarship, making our impact as a field difficult. What can be done to leverage the diversity, avoid fragmentation, and create impact with our research? We propose three remedies.

First, to impact healthcare services with our research, we need to follow the lead of medical journals and publish papers that are accessible to a wide academic and nonacademic audience. The most impactful medical journals publish short and focused papers written for an educated nonspecialist audience. These journals achieve their impact by separating the assessment of a paper’s rigor (the referees’ job) from the paper’s story. Although the published paper focuses on communicating the story, the detailed material that is necessary for an in-depth assessment of the rigor and strength of the evidence is provided in an appendix or an online supplement. If we want people in the industry to act on our insights and implement change, we need to change our publication habits and align them with the leading medical journals.

Second, we need to complement the predominant retrospective observational studies with carefully designed prospective field studies, where research teams implement research findings in practice and then observe outcomes and assess impact. When conducting retrospective studies used on archival data, we need to continue with careful research designs that employ appropriate identification strategies for establishing causality.

Third, like medicine, we need regular systematic reviews to organize and summarize the state of knowledge of healthcare operations. These reviews should focus on specific topics and should be written by a group of academic and practitioner experts with a view of facilitating evidence-based practice. Notably, reviews should incorporate not only the operations management literature, but all relevant literature published in medical journals and other cognate fields, such as organizational behavior or economics. We must find space for such reviews in our leading journals.

Although the field of healthcare operations is still nascent, a lot of excellent research has been produced over the past decade. A vibrant and expanding community of young operations scholars is beginning to identify with the emerging field and is committed to developing knowledge that helps the world deal with the immense challenges of aging populations and rising healthcare costs. This is a golden age for healthcare operations scholars and a great opportunity to make a significant impact with our research.

Acknowledgments

The authors thank Anita Tucker, Song-Hee Kim, Nicos Savva, Hummy Song, Sarang Deo, and Brad Staats for helpful comments and suggestions.

Endnotes

¹ See <https://www.cms.gov/research-statistics-data-and-systems/statistics-trends-and-reports/nationalhealthexpenddata/nhe-fact-sheet.html>, accessed March 19, 2019.

² See <https://catalyst.nejm.org/transitioning-fee-for-service-value-based-care/>, accessed March 19, 2019.

References

- Allon G, Deo S, Lin W (2013) The impact of size and occupancy of hospital on the extent of ambulance diversion: Theory and evidence. *Oper. Res.* 61(3):544–562.
- Anderson D, Gao G, Golden B (2014) Life is all about timing: An examination of differences in treatment quality for trauma patients based on hospital arrival time. *Production Oper. Management* 23(12):2178–2190.
- Andritsos DA, Tang CS (2014) Linking process quality and resource usage: An empirical analysis. *Production Oper. Management* 23(12):2163–2177.
- Angst CM, Devaraj S, Queenan CC, Greenwood B (2011) Performance effects related to the sequence of integration of healthcare technologies. *Production Oper. Management* 20(3):319–333.
- Avgerinos E, Gokpinar B (2016) Team familiarity and productivity in cardiac surgery operations: The effect of dispersion, bottlenecks, and task complexity. *Manufacturing Service Oper. Management* 19(1):19–35.
- Ayer T, Ayvaci MU, Karaca Z, Vlachy J (2017) The impact of health information exchanges on emergency department length of stay. *Production Oper. Management* 28(3):740–758.
- Bartel AP, Chan CW, Kim S-HH (2019) Should hospitals keep their patients longer? The role of inpatient care in reducing post-discharge mortality. *Management Sci.* Forthcoming.
- Bastani H, Goh J, Bayati M (2019) Evidence of upcoding in pay-for-performance programs. *Management Sci.* 65(3):1040–1060.
- Batt RJ, Terwiesch C (2015) Waiting patiently: An empirical study of queue abandonment in an emergency department. *Management Sci.* 61(1):39–59.
- Batt RJ, Terwiesch C (2016) Early task initiation and other load-adaptive mechanisms in the emergency department. *Management Sci.* 63(11):3531–3551.
- Batt RJ, KC DS, Staats BR, Patterson BW (2017) The effects of discrete work shifts on a nonterminating service system. *Production Oper. Management* 28(6):1528–1544.
- Bavafa H, Hitt LM, Terwiesch C (2018) The impact of e-visits on visit frequencies and patient health: Evidence from primary care. *Management Sci.* 64(12):5461–5480.
- Bavafa H, Canamucio A, Terwiesch C, Warner R (2019) The impact of primary care workload on emergency room visits: An econometric analysis. Working paper, Wisconsin School of Business, University of Wisconsin, Madison, Madison.
- Berry Jaeger JA, Tucker AL (2016) Past the point of speeding up: The negative effects of workload saturation on efficiency and patient severity. *Management Sci.* 63(4):1042–1062.
- Cachon G, Terwiesch C (2019) *Operations Management* (McGraw-Hill Publishing, New York).
- Chan CW, Farias VF, Escobar GJ (2016) The impact of delays on service times in the intensive care unit. *Management Sci.* 63(7):2049–2072.
- Chan CW, Yom-Tov G, Escobar G (2014) When to use speedup: An examination of service systems with returns. *Oper. Res.* 62(2):462–482.
- Chan CW, Green LV, Lekwijit S, Lu L, Escobar G (2019) Assessing the impact of service level when customer needs are uncertain: An empirical investigation of hospital step-down units. *Management Sci.* 65(2):751–775.
- Chandrasekaran A, Senot C, Boyer KK (2012) Process management impact on clinical and experiential quality: Managing tensions between safe and patient-centered healthcare. *Manufacturing Service Oper. Management* 14(4):548–566.
- Clark JR, Huckman RS (2012) Broadening focus: Spillovers, complementarities, and specialization in the hospital industry. *Management Sci.* 58(4):708–722.
- Deo S, Jain A (2018) Slow first, fast later: Temporal speed-up in service episodes of finite duration. *Production Oper. Management* 28(5):1061–1081.
- Dobson G, Pinker E, Van Horn RL (2009) Division of labor in medical office practices. *Manufacturing Service Oper. Management* 11(3):525–537.
- Donaldson MS, Corrigan JM, Kohn LT, eds. (2000) *To Err Is Human: Building a Safer Health System*, vol. 6 (National Academies Press, Washington, DC).
- Dong J, Yom-Tov E, Yom-Tov GB (2018) The impact of delay announcements on hospital network coordination and waiting times. *Management Sci.* 65(5):1969–1994.
- Freeman M, Savva N, Scholtes S (2017) Gatekeepers at work: An empirical analysis of a maternity unit. *Management Sci.* 63(10):3147–3167.
- Freeman M, Savva N, Scholtes S (2019) Economies of scale and scope in hospitals: An empirical study of volume spillovers. Working paper, INSEAD, Fontainebleau, France.
- Giancotti M, Guglielmo A, Mauro M (2017) Efficiency and optimal size of hospitals: Results of a systematic search. *PLoS One* 12(3):e0174533.
- Green LV, Savin S, Savva N (2013) “Nursevendor problem”: Personnel staffing in the presence of endogenous absenteeism. *Management Sci.* 59(10):2237–2256.
- He B, Dexter F, Macario A, Zenios S (2012) The timing of staffing decisions in hospital operating rooms: Incorporating workload heterogeneity into the newsvendor problem. *Manufacturing Service Oper. Management* 14(1):99–114.
- Hu W, Chan CW, Zubizarreta JR, Escobar GJ (2018) An examination of early transfers to the ICU based on a physiologic risk score. *Manufacturing Service Oper. Management* 20(3):531–549.
- Huckman RS, Pisano GP (2006) The firm specificity of individual performance: Evidence from cardiac surgery. *Management Sci.* 52(4):473–488.
- Hydari MZ, Telang R, Marella WM (2018) Saving Patient Ryan—Can advanced electronic medical records make patient care safer? *Management Sci.* 65(5):2041–2059.
- Ibanez MR, Clark JR, Huckman RS, Staats BR (2017) Discretionary task ordering: Queue management in radiological services. *Management Sci.* 64(9):4389–4407.
- KC DS (2013) Does multitasking improve performance? Evidence from the emergency department. *Manufacturing Service Oper. Management* 16(2):168–183.
- KC DS (2019) Heuristic thinking in patient care. *Management Sci.*, ePub ahead of print October 10, <https://doi.org/10.1287/mnsc.2019.3332>.
- KC DS, Staats BR (2012) Accumulating a portfolio of experience: The effect of focal and related experience on surgeon performance. *Manufacturing Service Oper. Management* 14(4):618–633.

- KC DS, Terwiesch C (2009) Impact of workload on service time and patient safety: An econometric analysis of hospital operations. *Management Sci.* 55(9):1486–1498.
- KC DS, Terwiesch C (2011) The effects of focus on performance: Evidence from California hospitals. *Management Sci.* 57(11):1897–1912.
- KC DS, Terwiesch C (2012) An econometric analysis of patient flows in the cardiac intensive care unit. *Manufacturing Service Oper. Management* 14(1):50–65.
- KC DS, Terwiesch C (2017) Benefits of surgical smoothing and spare capacity: An econometric analysis of patient flow. *Production Oper. Management* 26(9):1663–1684.
- KC DS, Tushe S (2019) The effects of multi-siting on performance. Working paper, Goizueta Business School, Emory University, Atlanta.
- KC DS, Staats BR, Gino F (2013) Learning from my success and from others' failure: Evidence from minimally invasive cardiac surgery. *Management Sci.* 59(11):2435–2449.
- KC DS, Staats BR, Kouchaki M, Gino F (2019) Task selection and workload: A focus on completing easy tasks hurts long-term performance. *Management Sci.* Forthcoming.
- Keskinocak P, Savva N (2019) A review of the healthcare-management (modeling) literature. *Manufacturing Service Oper. Management*. Forthcoming.
- Kim S-H, Chan CW, Olivares M, Escobar G (2015) ICU admission control: An empirical study of capacity allocation and its implication for patient outcomes. *Management Sci.* 61(1):19–38.
- Kim S-H, Pinker E, Rimar J, Bradley E (2017) Refining workload measure in hospital units: From census to acuity-adjusted census in intensive care units. Working paper, University of Southern California, Los Angeles.
- Kissick WL (1994) *Medicine's Dilemmas: Infinite Needs vs. Finite Resources* (Yale University Press, New Haven, CT).
- Kuntz L, Mennicken R, Scholtes S (2014) Stress on the ward: Evidence of safety tipping points in hospitals. *Management Sci.* 61(4):754–771.
- Kuntz L, Scholtes S, Sulz S (2019) Separate and concentrate: Accounting for patient complexity in general hospitals. *Management Sci.* 65(6):2482–2501.
- Laker LF, Froehle CM, Windeler JB, Lindsell CJ (2018) Quality and efficiency of the clinical decision-making process: Information overload and emphasis framing. *Production Oper. Management* 27(12):2213–2225.
- Liu J, Xie J, Yang KK, Zheng Z (2019) Effects of rescheduling on patient no-show behavior in outpatient clinics. *Manufacturing Service Oper. Management*, ePub ahead of print February 18, <https://doi.org/10.1287/msom.2018.0724>.
- Liu N, Finkelstein SR, Kruk ME, Rosenthal D (2017) When waiting to see a doctor is less irritating: Understanding patient preferences and choice behavior in appointment scheduling. *Management Sci.* 64(5):1975–1996.
- Long EF, Mathews KS (2018) The boarding patient: Effects of ICU and hospital occupancy surges on patient flow. *Production Oper. Management* 27(12):2122–2143.
- Lu LX, Lu SF (2018) Distance, quality, or relationship? Interhospital transfer of heart attack patients. *Production Oper. Management* 27(12):2251–2269.
- Lu SF, Lu LX (2016) Do mandatory overtime laws improve quality? Staffing decisions and operational flexibility of nursing homes. *Management Sci.* 63(11):3566–3585.
- Lu SF, Rui H (2017) Can we trust online physician ratings? Evidence from cardiac surgeons in Florida. *Management Sci.* 64(6):2557–2573.
- Lu SF, Rui H, Seidmann A (2017) Does technology substitute for nurses? Staffing decisions in nursing homes. *Management Sci.* 64(4):1842–1859.
- Meng L, Batt R, Terwiesch C (2019) The impact of hospital layout on care behavior and outcomes. Working paper, Yale School of Management, New Haven, CT.
- Mills AF, Helm JE, Jola-Sanchez AF, Tatikonda MV, Courtney BA (2018) Coordination of autonomous healthcare entities: Emergency response to multiple casualty incidents. *Production Oper. Management* 27(1):184–205.
- Olivares M, Terwiesch C, Cassorla L (2008) Structural estimation of the newsvendor model: An application to reserving operating room time. *Management Sci.* 54(1):41–55.
- Osadchiy N, KC D (2017) Are patients patient? The role of time to appointment in patient flow. *Production Oper. Management* 26(3):469–490.
- Pisano GP, Bohmer RM, Edmondson AC (2001) Organizational differences in rates of learning: Evidence from the adoption of minimally invasive cardiac surgery. *Management Sci.* 47(6):752–768.
- Porter ME, Teisberg EO (2006) *Redefining Healthcare: Creating Value-Based Competition on Results* (Harvard Business Press, Brighton, MA).
- Powell A, Savin S, Savva N (2012) Physician workload and hospital reimbursement: Overworked physicians generate less revenue per patient. *Manufacturing Service Oper. Management* 14(4):512–528.
- Ramdas K, Saleh K, Stern S, Liu H (2017) Variety and experience: Learning and forgetting in the use of surgical devices. *Management Sci.* 64(6):2590–2608.
- Reagans R, Argote L, Brooks D (2005) Individual experience and experience working together: Predicting learning rates from knowing who knows what and knowing how to work together. *Management Sci.* 51(6):869–881.
- Salzarulo PA, Mahar S, Modi S (2016) Beyond patient classification: Using individual patient characteristics in appointment scheduling. *Production Oper. Management* 25(6):1056–1072.
- Senot C, Chandrasekaran A, Ward PT (2016) Role of bottom-up decision processes in improving the quality of healthcare delivery: A contingency perspective. *Production Oper. Management* 25(3):458–476.
- Senot C, Chandrasekaran A, Ward PT, Tucker AL, Moffatt-Bruce SD (2015) The impact of combining conformance and experiential quality on hospitals' readmissions and cost performance. *Management Sci.* 62(3):829–848.
- Shanafelt T, Sinsky CA, Swensen S (2017) Preventable deaths in American hospitals. *NEJM Catalyst* (January 23), <https://catalyst.nejm.org/medical-errors-preventable-deaths/>
- Song H, Tucker AL, Murrell KL (2015) The diseconomies of queue pooling: An empirical investigation of emergency department length of stay. *Management Sci.* 61(12):3032–3053.
- Song H, Tucker AL, Murrell KL, Vinson DR (2017) Closing the productivity gap: Improving worker productivity through public relative performance feedback and validation of best practices. *Management Sci.* 64(6):2628–2649.
- Staats BR, KC DS, Gino F (2017) Maintaining beliefs in the face of negative news: The moderating role of experience. *Management Sci.* 64(2):804–824.
- Staats BR, Dai H, Hofmann D, Milkman KL (2016) Motivating process compliance through individual electronic monitoring: An empirical examination of hand hygiene in healthcare. *Management Sci.* 63(5):1563–1585.
- Terwiesch C, Staats B, Olivares M, Gaur V (2019) A survey of empirical research in operations management. *Manufacturing Service Oper. Management*. Forthcoming.
- Theokary C, Justin Ren Z (2011) An empirical study of the relations between hospital volume, teaching status, and service quality. *Production Oper. Management* 20(3):303–318.
- Tucker AL (2007) An empirical study of system improvement by frontline employees in hospital units. *Manufacturing Service Oper. Management* 9(4):492–505.

- Tucker AL (2015) The impact of workaround difficulty on frontline employees' response to operational failures: A laboratory experiment on medication administration. *Management Sci.* 62(4): 1124–1144.
- Tucker AL, Singer SJ (2015) The effectiveness of management-by-walking-around: A randomized field study. *Production Oper. Management* 24(2):253–271.
- Tucker AL, Nembhard IM, Edmondson AC (2007) Implementing new practices: An empirical study of organizational learning in hospital intensive care units. *Management Sci.* 53(6):894–907.
- Wang G, Li J, Hopp WJ, Fazzalari FL, Bolling SF (2018) Using patient-specific quality information to unlock hidden healthcare capabilities. *Manufacturing Service Oper. Management* 21(3): 582–601
- White DL, Torabi E, Froehle CM (2017) Ice-breaker vs. standalone: Comparing alternative workflow modes of mid-level care providers. *Production Oper. Management* 26(11):2089–2106.
- Zepeda ED, Sinha KK (2016) Toward an effective design of behavioral healthcare delivery: An empirical analysis of care for depression. *Production Oper. Management* 25(5):952–967.
- Zhang DJ, Gurvich I, Van Mieghem JA, Park E, Young RS, Williams MV (2016) Hospital readmissions reduction program: An economic and operational analysis. *Management Sci.* 62(11): 3351–3371.
- Zheng S, Tucker AL, Ren ZJ, Heineke J, McLaughlin A, Podell AL (2018) The impact of internal service quality on preventable adverse events in hospitals. *Production Oper. Management* 27(12):2201–2212.